



 Rycote®

Broadcast & ENG

## Softie Windshield

The **Softie Windshield** is a slip-on, cavity foam windshield with integral fur cover. Designed to offer up to 40dB (100Hz) wind-noise attenuation with very little high-frequency loss, the Softie has now become a world-wide standard in the broadcast industry.

The **Lyre Mount** is a complete shock-mount using the patented Lyre system to provide isolation against handling and cable-borne noises. The holding clip accepts microphones from 19 to 25mm diameter and features a moulded-in soft-feel grip to prevent the microphone from slipping or twisting. The Pistol-Grip can also be fitted on a boom-pole thanks to an integrated 3/8" thread adaptor.



Softie Windshield	Part no	Suitable for:
12cm Softie 19/22	033032	Schoeps CMT 5U
18cm Softie 19/22	033052	Sennheiser 416, Sanken CS 3e
18cm Softie 24/25	033053	Sennheiser MKH 60

For complete list of Softie Windshields please visit: [www.rycote.com](http://www.rycote.com)

## Foam and Windjammer Windshield

Made of durable, high quality open-cell acoustic foam, our foam windshields offer useful wind-noise attenuation where light breezes or air movement is a problem, whilst keeping high frequency loss to a minimum. Engineered exclusively for Rycote, this high quality foam has excellent resistance to the damaging effects of moisture and UV light.

Foam Windshields are available for most microphones, from compact, small-diaphragm reporters' models to broadcast and film-sound shotguns, large-diaphragm recording microphones and even personal, lavalier microphones.



**Shotgun Mic Foam**



**Small Diaphragm Mic Foams**

All our Foam Windshields can also be fitted with an additional Foam Windjammer which may add as much as 20dB extra wind-noise attenuation, depending upon size.



SGM Foam and Windjammer	Standard Hole 19/22	Large Hole 24/25
5cm Foam & WJ	055201	055202
10cm Foam & WJ	055203	055204
12cm Foam & WJ	055205	055206
15cm Foam & WJ	055207	-

## InVision Broadcast

Part of the larger InVision range of noise-reducing microphone shock-mounts, Rycote's InVision Broadcast suspensions have been designed for discreet, low-profile use in broadcast studio environments where windshielding is not required.



The InVision Broadcast mounts feature the latest Lyre suspension systems to offer professionals the cleanest possible sound, free from unwanted cable or stand-borne noise. They may be used with small-diaphragm microphones mounted on desks, stands or boom poles, or suspended mics.

InVision Broadcast	Part no.	Suitable for:
INV-7	041107	Schoeps CMT-5U, Audio-Technica AT4073a, Sennheiser ME66/K6, Neumann KMR81i, DPA4017, and Beyerdynamic MCE86, amongst others.
INV-7HG MKIII	041118	Microphones from 19 to 25mm diameter, to be used with a Sotie or BBG windshield.

## Aluminium & Carbon Fibre Boom Poles

Rycote now offers a range of Aluminium and Carbon Fibre Boom Poles. From 3.60m-long Production Poles, to versatile 2.5m News Poles available as coiled or non-coiled, to compact 1.8m Mini Poles, Rycote Boom Poles are the first choice for professionals.

Featuring the same lightweight patented triple-cam 'grip and twist' locking system as the original A5 News Boom Poles, and with no metal parts to add to their weight, the new Production & Mini Poles combine lightweight construction with great tensile strength. The locking mechanism is designed to be resistant to jamming when the pole is dirty; however, if necessary, the locking collars can be completely stripped down

Carbon Fibre Boom Poles	Part no.	Collapsed Length	Etended Length	Weight
G5 Mini Boom Pole (5 sections)	185606	0.50m (1'8")	1.80m (5'11")	369g
G5 News Boom Pole (5 sections)	185601	0.66m (2'2")	2.50m (8'2")	580g
G5 Boom Pole, coiled (5 sections)	185602	0.66m (2'2")	2.50m (8'2")	720g
G5-4M MkII Production Pole (5 sections)	185603	1.00m (3'3")	3.60m (11'9")	618g
Aluminium Boom Poles	Part no.	Collapsed Length	Etended Length	Weight
A5 News Boom Pole, coiled (5 sections)	185702	0.66m (2'2")	2.50 m (8'2")	780g
A5 News Boom Pole (5 sections)	185701	0.66 m (2'2")	2.50 m (8'2")	640g







For more information please scan  
the QR code or visit:

[www.rycote.com/pdf/BroadcastandENG/](http://www.rycote.com/pdf/BroadcastandENG/)  
[www.rycote.com](http://www.rycote.com)

 **Rycote**<sup>®</sup>



Made in the UK

**Rycote Microphone Windshields Ltd**

Libby's Drive, Slad Road, Stroud, Gloucestershire GL5 1RN, UK

Tel: +44 (0) 1453 759338 Fax: +44 (0) 1453 764249

Email: [sales@rycote.com](mailto:sales@rycote.com) Web: [www.rycote.com](http://www.rycote.com)

FOR MORE INFO  
FOLLOW US ON:



02/2014